

cello[®]

AIR COOLER

Ab **Turbo Cooling** se milegi
dur dur tak thandi thandi hawa



www.cellocoolers.com



**Turbo
Cooling**



**Efficient
surround cooling**



**Low wattage
consumption**



**also works on
Inverter**



**Honeycomb
cooling**



**Super efficient
3 side
Cooling Media**



**3 way speed
control**



**can be used
Inside or out**



Cooler Features

Cello has a wide range of air coolers to keep you cool both indoors and outdoors. A variety of features like the remote controlled digital operations, intelligently designed timer settings, humidity control and an indicator that notifies you when your water level runs low, provide you with uninterrupted cooling. An in-built four way castor wheels allows anyone to move the air cooler around easily from room to room, like a trolley bag!


For refreshing cool air, plug in and start!

Cello Air Coolers involve no installation costs. These air coolers are designed in such a way that they are easy to maintain and rarely require expensive repair and maintenance. The screw-less cooling pad sections are so easy to take out for cleaning.

Close your eyes and.... breathe

Cello Air Cooler draws in air from outdoors, filters it and cools down the temperature indoors in a matter of minutes. Just imagine a cool breeze by the lake that carries cool, refreshing air. Cello Air Coolers work on the same concept of evaporative cooling and refreshes the mind and the body with a cool, soothing breeze.

Evaporative Air cooling Mechanism



Desert

Never feel the heat

Breezer 60



Breezer 45



Breezer 60 / 45

- Dynamic & Mega Size Cooler with International Styling
- Water Inlet From Back & Top Side.
- Powerful Fan Blade
- Powerful Air Throw
- Collapsible horizontal louvers
- Compatible To Inverter
- High Powered Surround Cooling System
- Ideal For Big Halls, Banks, Offices & Restaurants.

Available only without Remote

Breezer 60

Honeycomb | 60 L Water Tank

Breezer 45

Honeycomb | 45 L Water Tank

Collapsible



horizontal louvers

low wattage



consumption

efficient



surround cooling

5400m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
16.5 meter

also works on



Inverter



Smart Remote

Marvel

- Engg-Plastic fan 457mm
- Water Inlet From Front Side
- Extra thick Honeycomb pad
- Low Water level Alarm for optimum performance
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Also available without Remote

Marvel +

Honeycomb | 60 L Water Tank

Digital



Remote Control

Water Tank



Low level Indicator

low wattage



consumption

efficient



surround cooling

5000m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
16.2 meter

also works on



Inverter



Ossum 75



Ossum 75
Honeycomb | 75 L Water Tank

- Engg-Plastic fan 457mm
- Powerful air throw
- Water Inlet from Back Side
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

Ossum 50+



Smart Remote

Ossum 50 +
Honeycomb | 50 L Water Tank

- Engg-Plastic fan 457mm
- Full Function Remote With Timer
- Low Water level Alarm for optimum performance
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Also available without Remote

Digital



Remote Control

Water Tank



Low level Indicator

low wattage



consumption

efficient



surround cooling

5000m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
16.2 meter

also works on



Inverter

Alps 60



Alps 45



Alps

- Engg-Plastic fan 406 mm
 - Water Inlet from Back & Top Side
 - Optimum Cooling
 - Powerful air throw
 - Motorised Louvers 4 way deflection
- Available only without Remote**

Alps 60

60 L Water Tank | Honey comb

Alps 45

45 L Water Tank | Honey comb

low wattage



consumption

efficient



surround cooling

4200m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
12 meter

also works on



Inverter



Wave

- Engg-Plastic fan 406 mm
- Water Inlet From Front and Back Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

Wave

Wood Wool | 50 L Water Tank

low wattage



consumption

efficient



surround cooling

3500m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
14 meter

also works on



Inverter



Window

Turn on the Winter



Free
Trolley



Swift 50
50 L Water Tank | Wood Wool

- Engg-Plastic Blower 205mm
- Water Inlet From Front Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Adjustable Humidity Control to Increase Cooling Efficiency
- Multipurpose Free Trolley
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

Swift



Swift Pro 50
50 L Water Tank | Wood Wool

- Engg-Plastic Blower 205mm
- Water Inlet From Front Side
- Optimum Cooling
- Collapsible horizontal louvers
- Low Noise Level
- Motorised Louvers 4 way deflection
- Adjustable Humidity Control to Increase Cooling Efficiency

Available only without Remote



Mystique 75



Mystique 50



Free
Trolley

Mystique 75 /50

- High powered cooler with international styling
- Water inlet from back side.
- Powerful fan blade
- Powerful air throw
- Collapsible horizontal louvers
- Compatible to inverter
- Well efficient surrounding cooling system
- Ideal for big halls, banks, offices & restaurants.

Available only without Remote

Mystique 75
Wood Wool | 75 L Water Tank

Mystique 50
Wood Wool | 50 L Water Tank



Arctic



Arctic 75
Wood Wool | 75 L Water Tank



Free
Trolley

Arctic 50
Wood Wool | 50 L Water Tank

- Engg-Plastic fan 457 mm
- Water Inlet From Back Side
- Optimum Cooling
- Low Noise Level

- Motorised Louvers 4 way deflection
 - Free Trolley
 - Multidirectional Castor Wheels for easy mobility
- Available only without Remote





Personal

A Cool New Generation

Tower



Smart Remote

Tower 50 +
Honeycomb | 50 L Water Tank



Smart Remote

Tower 25 +
Honeycomb | 25 L Water Tank



Tower 15
Honeycomb | 15 L Water Tank

- Sleek and stylish design for individual use
- Ice chamber for faster cooling purpose
- Engg-Plastic Blower 180mm

- Water Inlet From Top And Back side.
- Optimum Cooling
- Low Noise Level

- Motorised Louvers 4 way deflection
 - Multidirectional Castor Wheels for easy mobility
- Also available without Remote

Digital



Remote Control

Water Tank



Low level Indicator

low wattage



consumption

efficient



surround cooling

1800m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
10.5 meter

also works on



Inverter

Gem 35 L

Gem 22 L

Gem

- Engg-Plastic fan 280 mm
- Water Inlet From Top Side
- Optimum Cooling with 3-side Honeycomb Pads
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

Gem 35
Honeycomb | 35 L Water Tank

Gem 22
Honeycomb | 22 L Water Tank



Pearl 35 L

Pearl 22 L

Pearl

- Engg-Plastic Blower 127 mm
- Water Inlet From Top Side
- Optimum Cooling with 3-side Honeycomb Pads
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

Pearl 35
Honeycomb | 35 L Water Tank

Pearl 22
Honeycomb | 22 L Water Tank





Smart Remote

Dura Cool

- Compact design to occupy minimal space
- Engg-Plastic Blower 180 mm
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility
- Adjustable Humidity Control to Increase Cooling Efficiency

Also available without Remote

Dura Cool +

Honeycomb | 30 L Water Tank

Digital



Remote Control

Water Tank



Low level Indicator

low wattage



consumption

efficient



surround cooling

1400m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
9.6 meter

also works on



Inverter

Commercial

Cool Solutions for Big Spaces



Magnum

- 21" Metal Fan Blade
- Low noise level
- 3 Side high efficiency honeycomb pads for better cooling
- Motorized Vertical Louvers with 4-way air deflections
- Knobs for up-and-down movement of horizontal Louvers
- Water inlet from 3 sides with auto filling valve
- Multidirectional castor wheels for easy mobility with locking facility
- Usages: Indoor, Outdoor, warehouses, factories, & open spaces
- Easy maintenance Long-life, Robust, weather-resistant body

Magnum

Honeycomb | 125 L Water Tank

Water Tank



Low level Indicator

low wattage



consumption

efficient



surround cooling

9000 m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto
20 meter

also works on




Inverter



SPECIFICATIONS	D E S E R T							W I N D O W		
Description :	Breezer 60 / 45	Marvel +	Ossum 75	Ossum 50 +	Alps 60	Alps 45	Wave	Mystique 75	Mystique 50	Swift Swift Pro
Remote control	-	Yes	-	Yes	-	-	-	-	-	-
Type	Desert	Desert	Desert	Desert	Desert	Desert	Desert	Window	Window	Window
Rated Voltage 230/50Hz.Ac	170 W	185 W	185 W	185 W	170 W	170 W	170 W	185 W	185 W	200 W
Tank Capacity	60/45 Ltrs.	60 Ltrs.	75 Ltrs.	50 Ltrs.	60 Ltrs.	45 Ltrs.	50 Ltrs.	75 Ltrs.	50 Ltrs.	50 Ltrs.
Air Deflection	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way
Motorised Louver	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
Air Throw Distance Meter	16.5	16.2	16.2	16.2	12	12	14	21	21	13.5
Mosquito / Filter Net	-	-	-	-	-	-	Yes	Yes	Yes	Yes
Engg. Plastic (Blower/Fan)	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Blower
(Blower/Fan) Dia mm	406	457	457	457	406	406	406	457	457	205
Air Nominal Capacity (M3/hr)	5400	5000	5000	5000	4200	4200	3500	5600	5600	2000
No. of Speed	Three	Three	Three	Three	Three	Three	Three	Three	Three	Three
Cooling Media	Honeycomb	Honeycomb Wood Wool	Honeycomb	Honeycomb Wood Wool	Honeycomb	Honeycomb	Wood Wool	Wood Wool	Wood Wool	Wood Wool ***
Empty Tank Alarm	-	Yes	-	Yes	-	-	-	-	-	-
Timer	-	Yes	-	Yes	-	-	-	-	-	-
Portability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes/-
Ice Chamber	Yes	-	-	-	Yes	Yes	-	-	-	-
Humidity Control	-	-	-	*	-	-	-	-	-	Yes
Auto Fill Water Inlet	YES	-	-	-	Yes	Yes	-	Yes	Yes	Yes
Product Weight (Kgs)	15/14.5 kg	13.50 Kg	19 Kg	17.00 Kg	15.00 Kg	14.50 Kg	12.00 Kg	18 kg	17.5 kg	16/13 kg
Product (L)	640	620	684	685	640	640	610	670	670	700/665
Dimensions (W)	440	425	525	525	440	440	522	635	635	580/550
In mm (H)	1080/960	1110	1145	1070	1080	960	1060	950	1265	985/570
	(W/Castor)	W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Trolley)	(W/Trolley) (W/o Trolley)

Multi Cool / smart Technology for digital controlled operations*

USAGES OF COOLERS



BEDROOM



GARDEN



OFFICE



RESTAURANT



		PERSONAL								COMMERCIAL
Artic 75	Artic 50	Tower 50 +	Tower 25 +	Tower 15	Gem 22 Gem Hi 22	Gem 35 L	Pearl 22 Pearl Hi 22	Pearl 35 L	Dura Cool +	Magnum
-	-	Yes	Yes	-	-	-	-	-	Yes	-
Window	Window	Tower	Tower	Tower	Personal	Personal	Personal	Personal	Personal	Commercial
185 W	185 W	180 W	180 W	180 W	100/200 W	100/200 W	100/200 W	100 / 200 W	180 W	400 Watt
75 Ltrs.	50 Ltrs.	50 Ltrs.	25 Ltrs.	15 Ltrs.	22 Ltrs.	35 Ltrs.	22 Ltrs.	35 Litre.	30 Ltrs.	125 Ltrs.
Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way
Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
15	15	10.5	10.5	10.5	9/12	9/12	7.5/11	7.5/11	9.6	20
Yes	Yes	Yes	Yes	Yes	-	-	-	-	Yes	-
Fan	Fan	Blower	Blower	Blower	Fan	Fan	Blower	Blower	Blower	Fan
457	457	180	180	180	280	280	127	127	180	533
5000	5000	1800	1800	1800	2000/2400	2000/2400	1250/1600	1250/1600	1400	9000
Three	Three	Three	Three	Three	Three	Three	Three	Three	Three	Three
Wood Wool	Wood Wool	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
-	-	Yes	Yes	-	-	-	-	-	Yes	-
-	-	Yes	Yes	-	-	-	-	-	Yes	-
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
-	-	-	-	-	-	-	-	-	Yes	-
Yes	Yes	-	-	-	-	-	-	-	-	Yes
18.00 Kg	17.50 Kg	10.50 kg	9.50 Kg	9.00 kg	8.75 kg	9.5 kg	8.70 kg	9.5 kg	8.50 kg	28.5 kg
670	670	390	360	360	470	480	470	480	500	890
635	635	350	330	330	365	370	365	370	385	520
950	1265	1335	1025	925	710	790	710	790	910	1340
(W/Castor)	(W/Trolley)	(W/Castor))	(W/Castor))	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)	(W/Castor)

digital model

For best performance

analog model



Keep window
or door open



Switch on
COOLING mode



Ensure water
level in tank



Replace cooling
pads annually



Keep window
or door open





Switch on
COOLING mode



Ensure water
level in tank



Replace cooling
pads annually



H.O: Cello House, Corporate Avenue 'B' Wing, 1st Floor, Sonawala Road, Goregaon (E), Mumbai - 400 063.
Email : Cellocoolers@celloworld.com | Phone : +91-22-69970010

SCAN THE QR CODE
FOR AN E-CATALOGUE



www.cellocoolers.com